

With **Aura**,
Professionals can
now **Re-imagine**
their **Workspaces**
at **Home**

ClearOne Aura™

UNITE® 50 4K AF Camera



Bring a professional difference to your visual collaboration with auto-framing using artificial intelligence and an ultra-wide angle field-of-view. Combine with your own choice of mic and speaker for an exceptional collaboration experience.

Aura Professional Home Office Solution

Dramatically enhances the audio and video experience for any **cloud-based collaboration** application for your **professional home office**

COMPATIBLE WITH




Enhance Your Cloud Collaboration

Highlights

- † 4K video, auto-focus, and 4x digital zoom.
- † Automatically frames meeting participants with artificial intelligence and ePTZ technology.
- † 110° ultra-wide angle field-of-view.
- † Wide dynamic range support for optimal image capture.
- † Super-high SNR with advanced 2D and 3D noise reduction.
- † Full-function USB 3.0 interface for video and power.
- † Control the camera's functions via IR remote or UVC protocol.
- † Easily mounted on monitors using standard damping rotary-shaft support.
- † Compatible with popular applications such as COLLABORATE® Space, Microsoft® Teams, WebEx™, Zoom™, Google® Meet™, and more.
- † FREE COLLABORATE® Space lifetime subscription — ClearOne's high quality, award winning cloud-based video collaboration application.

Aura Professional Home Office Application

Complete your **UNITE® 50 4K AF Camera** setup by adding other ClearOne Aura products



Specifications

- + AUR-2100-008 UNITE® 50 4K Camera

INCLUDES

- + Free COLLABORATE® Space lifetime subscription

VIDEO

- + Auto framing, automatically frames meeting participants. Max Resolution: 4KP30
- + Video Format: YUY2, NV12: 1920x1080P30, 1280x720P30, 640x360P30
MJPG, H264, H265: 3840x2160P30, 1920x1080P30, 1280x720P30, 640x360P30
- + Sensor: 1/2.8" CMOS, 8.42 million pixels
- + Lens Focus: f=2.1 mm
- + Iris: F2.2
- + Horizontal Angle of View: Wide angle up to 110°
- + Min. Illumination: 1.0Lux @ (AGC ON)
- + Adjustments: Brightness, Hue, Saturation, Contrast, Sharpness
- + White Balance: Auto
- + Exposure: Auto

COMPATIBILITY

- + Operating Systems: Windows 7, Windows 8, Windows 8.1, Windows 10, Mac OS, Linux
- + USB video communication: UVC 1.0/1.1
UVC PTZ: Supported

INPUT/OUTPUT INTERFACE

- + USB interface: 1xUSB 3.0: Type C

POWER

- + Input voltage: 5 V (USB power supply)
- + Current Consumption: < 0.9 A
- + Power Consumption: < 4 W

ENVIRONMENTAL

- + Operating Temperature: 32° F ~ 104° F (0° C ~ 40° C)
- + Storage Temperature: -4° F ~ 140° F (-20° C ~ 60° C)

MECHANICAL

- + Dimensions (WxHxD): 6 x 1.97 x 2.9" (153 x 50 x 74 mm)
- + Weight: 0.62lb (0.28kg)

Sales & Inquiries

Headquarters

5225 Wiley Post Way
Suite 500
Salt Lake City, UT 84116

Headquarters

US: +1.801.975.7200
International: +1.801.975.7200

Aura Sales

US: +1.888.HEY.AURA
International: +1.801.975.7200
aurasales@clearone.com

Aura Tech Support

US: +1.888.HEY.AURA
International: +1.801.975.7200
auratechsupport@clearone.com