

COLLABORATE® Versa™ Pro 60



Improve the BYOD experience in huddle spaces and small conference rooms by adding professional quality audio and video.

- > One CONVERGE® Huddle audio DSP mixer for a professional audio experience.
- > One Ceiling Microphone Array with 360-degree coverage reducing noise and reverberation.
- > Clutter-free with optional CONVERGE Huddle VESA mount.
- > One UNITE® 60 4K Camera with Smart Face Tracking or Voice Tracking. AI processing optionally tracks an individual or frames an entire group for perfect framing and focus.
- > Configure Versa Pro CT directly through the USB port, or use network Ethernet jack.
- > Monitor, control, and audit Versa Pro CT with CONVERGENCE™ unified AV network management software.



Professional, Crystal-clear audio

Includes ClearOne's CONVERGE® Huddle audio DSP mixer and Ceiling Mic Array for crystal-clear voice clarity and an unrivaled audio experience.



Smart Face or Voice Tracking

AI processing optionally tracks an individual or frames an entire group for perfect framing and focus.

APPLICATIONS

- BYOD Video Conferencing
- BYOD Audio Conferencing
- In-Room Presentation


WORKSPACES

- Mid-sized Meeting Rooms
- Executive Offices

Great Ideas Need to Be Seen - and Heard!™

COLLABORATE® Versa™ Pro 60

COLLABORATE Versa Pro 60 using Room PC and display, with optional ClearOne Ceiling Loudspeakers



COLLABORATE® Versa™ Pro 60

- INCLUDES**
- CONVERGE® Huddle
 - UNITE® 60 4K Camera
 - Ceiling Microphone Array (White)
 - PoE Injector Kit
- CONVERGE HUDDLE**
- INPUTS**
- 3 channel balanced audio mic/line inputs with AEC
 - 1 channel balanced audio line input without AEC
 - 3.81 mm orange-color Phoenix/Euroblock type male header, push-on mini-terminal block
- LINE OUTPUTS**
- 2 channel balanced audio line outputs, 3.81 mm black-color Phoenix/Euroblock type male header, push-on mini-terminal block
 - 1 USB 3.0 Type-B
 - 1 USB 3.0 Type-A
 - RJ-45, 10/100/1000 Mbps, passthrough to USB-B 3.0
- HDMI RESOLUTIONS**
- 1600 x 1200p @ 60 Hz, 4:3 ratio
 - 1920 x 1200p @ 60 Hz, 16:10 ratio
 - 2560 x 1440p @ 60 Hz, 16:9 ratio
- UNITE® 60 4K CAMERA**
- 4K 30fps, 8.29 M Pixel resolution
 - Smart Face Tracking, Voice Tracking
 - 120 ° Wide-angle Field View
 - Control of camera functions via IR remote control or UVC protocol
 - 3x Digital Zoom, f/1.8 to 2.8 Aperture
- CONTROL**
- Remote control, USB (UVC), RS-232
- CEILING MICROPHONE ARRAY**
- ACOUSTIC CHARACTERISTICS**
- Polar Pattern: Cardioid
 - Dynamic Range: 80 dB, 1 kHz @ max SPL
 - Signal/Noise Ratio: 60 dBA, 1 kHz @ 1 Pa
 - Frequency Response: 100 Hz - 12 kHz
 - Sensitivity: 114 mV/Pa
- ELECTRICAL CHARACTERISTICS**
- Element: Fixed-charge back plate permanently polarized condenser
 - Phantom Power Requirement: 12-52 VDC, 2 mA typical
 - Impedance: 200 Ω
- PART NUMBERS**
- INCLUDES**
- 930-3200-P60 COLLABORATE® VERSA Pro 60
 - 910-3200-701 CONVERGE® Huddle
 - 910-210-009 UNITE® 60 4K Camera
 - 910-001-013-W Ceiling Microphone Array (White)
 - 910-3200-202 PoE Injector Kit

SALES AND INQUIRIES

Headquarters

5225 Wiley Post Way
Suite 500
Salt Lake City, UT 84116

US & Canada

Tel: +1.801.975.7200

International

Tel: +1.801.975.7200

Sales

Tel: +1.801.975.7200
sales@clearone.com

Tech Support

Tel: +1.801.974.3760
audiotechsupport@clearone.com